

MacBook (13-inch, Aluminum, Late 2008) – Technical Specifications



最終更新日: Oct 15, 2008

記事: SP500

表示回数: 1247151

言語

English

Size and weight

Height:

0.95 inch (2.41 cm)

Width:

12.78 inches (32.5 cm)

Depth:

8.94 inches (22.7 cm)

Weight:

4.5 pounds (2.04 kg)¹

Connections and expansion

- MagSafe power port
- Gigabit Ethernet port
- Two USB 2.0 ports (up to 480 Mbps)
- Mini DisplayPort
- Audio line in
- Audio line out
- Kensington lock slot

Communications

- Built-in AirPort Extreme Wi-Fi wireless networking² (based on IEEE 802.11n draft specification); IEEE 802.11a/b/g compatible
- Built-in Bluetooth 2.1 + EDR (Enhanced Data Rate)
- Built-in 10/100/1000BASE-T Gigabit Ethernet (RJ-45 connector)

Audio

- Built-in stereo speakers
- Built-in omnidirectional microphone
- Combined optical digital input/analog line in (minijack)
- Combined optical digital output/analog line out (minijack)
- Supports Apple Stereo Headset with microphone

Environmental Status Report

MacBook is designed with the following features to reduce its environmental impact:

- Highly recyclable aluminum and glass enclosure
- Mercury-free LED-backlit display
- Arsenic-free glass
- BFR-free internal components
- PVC-free internal cables
- Meets ENERGY STAR requirements
- EPEAT Gold rating

Display

- 13.3-inch (diagonal) LED-backlit glossy widescreen display with support for millions of colors
- **Supported resolutions:** 1280 by 800 (native), 1152 by 720, 1024 by 640, and 800 by 500 pixels at 16:10 aspect ratio; 1024 by 768, 800 by 600, and 640 by 480 pixels at 4:3 aspect ratio; 720 by 480 pixels at 3:2 aspect ratio

Graphics and video support

- NVIDIA GeForce 9400M graphics processor with 256MB of DDR3 SDRAM shared with main memory³
- Extended desktop and video mirroring: Simultaneously supports full native resolution on the built-in display and up to 2560 by 1600 pixels on an external display, both at millions of colors
- Built-in iSight camera
- Mini DisplayPort

Video output options

DVI output using Mini DisplayPort to DVI Adapter

VGA output using Mini DisplayPort to VGA Adapter

Dual-link DVI output using Mini DisplayPort to Dual-Link DVI Adapter

Input

- Multi-Touch trackpad for precise cursor control; supports two-finger scrolling, pinch, rotate, three-finger swipe, four-finger swipe, tap, double-tap, and drag capabilities

2.0GHz MacBook

- Built-in full-size keyboard with 78 (U.S.) or 79 (ISO) keys, including 12 function keys and 4 arrow keys (inverted "T" arrangement)

2.4GHz MacBook

- Built-in full-size illuminated keyboard with 78 (U.S.) or 79 (ISO) keys, including 12 function keys and 4 arrow keys (inverted "T" arrangement)

Processor and memory

- 2.0GHz or 2.4GHz Intel Core 2 Duo processor with 3MB on-chip shared L2 cache running 1:1 with processor speed
- 1066MHz frontside bus
- 2GB (two 1GB SO-DIMMs) of 1066MHz DDR3 SDRAM; two SO-DIMM slots support up to 4GB

Storage

2.0GHz MacBook

- 160GB 5400-rpm Serial ATA hard disk drive⁴
- Optional 250GB or 320GB 5400-rpm hard drive or 128GB solid-state drive⁴

2.4GHz MacBook

- 250GB 5400-rpm Serial ATA hard disk drive⁴
- Optional 320GB 5400-rpm hard drive or 128GB solid-state drive⁴

Optical drive

8x slot-loading SuperDrive (DVD±R DL/DVD±RW/CD-RW)

Maximum write: 8x DVD-R, DVD+R; 4x DVD-R DL (double layer), DVD+R DL (double layer), DVD-RW, DVD+RW; 24x CD-R; 10x CD-RW

Maximum read: 8x DVD-R, DVD+R, DVD-ROM; 6x DVD-ROM (double layer DVD-9), DVD-R DL (double layer), DVD+R DL (double layer), DVD-RW, and DVD+RW; 24x CD

Battery and power⁵

- 45-watt-hour lithium-polymer battery
- 60W MagSafe Power Adapter with cable management system
- MagSafe power port

Electrical and operating requirements

- Line voltage: 100V to 240V AC
- Frequency: 50Hz to 60Hz
- Operating temperature: 50° to 95° F (10° to 35° C)
- Storage temperature: -13° to 113° F (-24° to 45° C)
- Relative humidity: 0% to 90% noncondensing
- Maximum operating altitude: 10,000 feet
- Maximum storage altitude: 15,000 feet
- Maximum shipping altitude: 35,000 feet

What's in the box

- MacBook
- Display cleaning cloth
- 60W MagSafe Power Adapter, AC wall plug, and power cord
- Lithium-polymer battery
- Install/restore DVDs
- Printed and electronic documentation

Installed software

- Mac OS X v10.5 Leopard (includes Time Machine, Quick Look, Spaces, Spotlight, Dashboard, Mail, iChat, Safari, Address Book, QuickTime, iCal, DVD Player, Photo Booth, Front Row, Xcode Developer Tools)
- iLife '08 (includes iTunes, iPhoto, iMovie, iDVD, iWeb, GarageBand)

Configurations

	2.0GHz MacBook (MB466LL/A)	2.4GHz MacBook (MB467LL/A)
Enclosure	Precision aluminum unibody	
Processor	2.0GHz Intel Core 2 Duo	2.4GHz Intel Core 2 Duo
L2 cache	3MB shared	
System bus	1066MHz	
Memory	2GB (two 1GB SO-DIMMs) of 1066MHz DDR3 SDRAM (PC3-8500); supports up to 4GB	

Hard drive ⁴	160GB Serial ATA; 5400 rpm	250GB Serial ATA; 5400 rpm
Slot-loading optical drive	8x SuperDrive (DVD±R DL/DVD±RW/CD-RW)	
Graphics	NVIDIA GeForce 9400M graphics processor with 256MB of DDR3 SDRAM shared with main memory ³	
Video	Built-in iSight camera; Mini DisplayPort output port with support for DVI, VGA, and dual-link DVI (requires adapters, sold separately)	
Display	13.3-inch (diagonal) LED-backlit glossy widescreen display, 1280-by-800 resolution	
USB	Two USB 2.0 ports (up to 480 Mbps)	
Audio	Built-in stereo speakers, built-in omnidirectional microphone, combined optical digital input/analog line in, combined optical digital output/analog line out	
Networking	Built-in 10/100/1000BASE-T (Gigabit) Ethernet	
Wireless	Built-in AirPort Extreme Wi-Fi (based on IEEE 802.11n draft specification) ² ; built-in Bluetooth 2.1 + EDR (Enhanced Data Rate) module	
Hardware accessories	60W MagSafe Power Adapter, AC wall plug, power cord, lithium-polymer battery	
Limited warranty and service	Your MacBook comes with 90 days of free telephone support and a one-year limited warranty. Purchase the AppleCare Protection Plan to extend your service and support to three years from your computer's purchase date. Only the AppleCare Protection Plan provides you with direct telephone support from Apple technical experts and the assurance that repairs will be handled by Apple-authorized technicians using genuine Apple parts. For more information, visit Apple support or call 800-823-2775.	
Apple and the global environment	Learn more about Apple's dedication to reducing the environmental impact of our products and processes. The Apple Product Environmental Specification details the environmental attributes of our products.	
Recycling	Apple takes a holistic view of materials management and waste minimization. Learn more about how to recycle your Mac.	

Options

Time Capsule

Time Capsule is a full-featured AirPort Extreme base station with a built-in hard drive. Back up wirelessly and create a Wi-Fi network with one device.

- 500GB or 1TB server-grade hard drive
- Wi-Fi Certified for 802.11n draft 2.0
- USB port for connecting a USB printer or USB external hard drive

Configure to order

- 160GB (5400-rpm) hard drive
- 250GB (5400-rpm) hard drive
- 320GB (5400-rpm) hard drive
- 128GB solid-state drive
- Up to 4GB of 1066MHz DDR3 SDRAM
- Apple Remote (MA128G/B)
- Apple USB Modem (MA034Z/A)
- Apple Mini DisplayPort to DVI Adapter (MB570)
- Apple Mini DisplayPort to Dual-Link DVI Adapter (MB571)
- Apple Mini DisplayPort to VGA Adapter (MB572)
- MagSafe Airline Adapter (MB441Z/A)
- AppleCare Protection Plan (MB578LL/A)
- Aperture 2 (MB673Z/A)
- Final Cut Express (MB278Z/A)
- Logic Express (MA806LL/A)
- iWork '08 (MB624/A)

Accessories

- Apple LED Cinema Display (MB382LL/A)
- AirPort Extreme Base Station (MB053LL/A)
- AirPort Express Base Station (MB321LL/A)
- Apple Wireless Keyboard (MB167LL/A)
- Apple wireless Mighty Mouse (MB111LL/A)
- Apple Keyboard (MB110LL/A)
- Apple wired Mighty Mouse (MB112LL/A)
- Rechargeable Battery for MacBook (MB771)

1. Actual weight varies by configuration and manufacturing process.

